PANELUX® A1

BPIR DECLARATION



Version 1.0 May 2024

DESIGNATED BUILDING PRODUCT: Class 1

DECLARATION

Mulford New Zealand Ltd has provided this declaration to satisfy their obligations under the Building (Building Product Information Requirements) Regulations 2022.

COMPANY DETAILS

Mulford New Zealand Ltd
Supplier
9429039910240
5 Arthur Brown Place, Mt Wellington, Auckland
www.mulford.co.nz
sales@mulford.co.nz
0800 685 3673

DESCRIPTION OF BUILDING PRODUCT

PaneLux® A1 is a flat, solid, aluminium alloy (3003H24) panel (the panel) which may be used for signage and as interior and exterior decorative panels. When subjected to further manufacturing (fabrication), it may be used as a cladding or as an exterior facade.

The panel is 3 mm thick and supplied in two sizes (1550 mm x 3200 mm and 1550 mm x 4000 mm). It is offered in multiple colours as well as texture-based effects.

Aluminium will corrode when exposed to oxygen and moisture. The white oxide that is formed acts as a barrier to further corrosion. To protect against corrosion, PaneLux® A1 is coated with a factory applied double layer of PVDF.

Aluminium alloy is impervious to moisture and fully recyclable.

PaneLux® A1 has been tested by BRANZ and, on that basis, may be used in all circumstances where C3.7 applies.

PaneLux® A1 is manufactured by Feiteng. The company has been manufacturing aluminium alloy and aluminium composite panels for more than 30 years.



CONTRIBUTION TO BUILDING WORK CODE OBLIGATIONS

When designed, installed, and maintained in accordance with all requirements, PaneLux® A1 Cladding System will meet or support compliance with the following performance criteria

- B1 (Structure): B1.3.1, B1.3.2, B1.3.3 (a, h)
- B2 (Durability): B2.3.1 (b)
- C3 (Fire Affecting Areas Beyond the Fire Source): C3.4(a) C3.7(a)
- E2 (External Moisture): E2.3.2, E2.3.5, E2.3.7
- F2 (Hazardous Building Materials): F2.3.1.

FOR FURTHER INFORMATION

For further information regarding material characteristics, refer to PaneLux®.

RESPONSIBLE PERSON

In accordance with Regulation 8, as the responsible person I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that the PaneLux® A1, as referred to in this statement, is not subject to a warning or ban under s26 of the Building Act.

Signed for and on behalf of Mulford New Zealand Ltd:

Steve Foley

Steve Foley

GENERAL MANAGER

May 2024

